

PR #2317 完整报告

THUDM/slime

[ci] Clean up tests

合并时间: 2026-08-24 15:45

原文链接: <http://prhub.com.cn/THUDM/slime/pull/2317>

执行摘要

- 一句话:
- 推荐动作:

功能与动机

实现拆解

1. 测试与验证 - [tests/test_deepgemma_moe_forward.py](#) (deletion) : 测试配套; 涉及符号 `test_configures_batch_invariant_in_megatron_actor`, `test_batch_invariant_actor_configuration_fails_closed`, `_small_bf16`, `test_sorts_moe_chunks_into_preallocated_buffer`; 包含 测试覆盖调整、导入关系调整、控制流调整; +0/-2326; 关键符号: `test_configures_batch_invariant_in_megatron_actor`, `test_batch_invariant_actor_configuration_fails_closed`, `_small_bf16`, `test_sorts_moe_chunks_into_preallocated_buffer` - [tests/test_deepgemma_forward.py](#) (deletion) : 测试配套; 涉及符号 `TELinear`, `init`, `forward`, `CountingTELinear`; 包含 测试覆盖调整、导入关系调整、控制流调整; +0/-741; 关键符号: `TELinear`, `init`, `forward`, `CountingTELinear` - [tests/test_qwen2.5_0.5B_async_short.py](#) (deletion) : 测试配套; 涉及符号 `prepare`, `execute`; 包含 测试覆盖调整、导入关系调整、控制流调整; +0/-118; 关键符号: `prepare`, `execute`
2. 配置与运行环境 - [.github/workflows/pr-test.yml](#) (infrastructure) : 部署 / 基础设施; 包含 配置键调整; +36/-0

关键文件:

- [tests/test_deepgemma_moe_forward.py](#) (模块 `deepgemma/moe/forward`; 类别 `test`; 类型 `deletion`; 符号 `test_configures_batch_invariant_in_megatron_actor`, `test_batch_invariant_actor_configuration_fails_closed`, `_small_bf16`, `test_sorts_moe_chunks_into_preallocated_buffer`) : 测试配套; 涉及符号 `test_configures_batch_invariant_in_megatron_actor`, `test_batch_invariant_actor_configuration_fails_closed`, `_small_bf16`, `test_sorts_moe_chunks_into_preallocated_buffer`; 包含 测试覆盖调整、导入关系调整、控制流调整; +0/-2326
- [tests/test_deepgemma_forward.py](#) (模块 `deepgemma/forward`; 类别 `test`; 类型 `deletion`; 符号 `TELinear`, `init`, `forward`, `CountingTELinear`) : 测试配套; 涉及符号 `TELinear`,

init, forward, CountingTELinear; 包含 测试覆盖调整、导入关系调整、控制流调整;
+0/-741

- tests/test_qwen2.5_0.5B_async_short.py (模块 qwen2.5/0.5B/async/short; 类别 test; 类型 deletion; 符号 prepare, execute) : 测试配套; 涉及符号 prepare, execute; 包含 测试覆盖调整、导入关系调整、控制流调整; +0/-118
- tests/test_qwen2.5_0.5B_short.py (模块 qwen2.5/0.5B/short; 类别 test; 类型 deletion; 符号 prepare, execute) : 测试配套; 涉及符号 prepare, execute; 包含 测试覆盖调整、导入关系调整、控制流调整; +0/-117
- tests/utils/test_mask_utils.py (模块 mask/utils; 类别 test; 类型 deletion; 符号 test_loss_mask_qwen3_simple, test_loss_mask_qwen3_tools) : 测试配套; 涉及符号 test_loss_mask_qwen3_simple, test_loss_mask_qwen3_tools; 包含 测试覆盖调整、导入关系调整、控制流调整; +0/-99

关键符号: test_configures_batch_invariant_in_megatron_actor,
test_batch_invariant_actor_configuration_fails_closed, _small_bf16,
test_sorts_moe_chunks_into_preallocated_buffer,
test_preallocated_combine_wrapper_avoids_original_allocation, Dispatcher,
combine_preprocess, test_combine_workspace_view_uses_caller_owned_bytes,
TELinear, init

评论区精华

- 暂无高价值评论线程

风险与影响

- 风险:
- 影响:
 - 风险标记: 暂无

关联脉络

- 暂无明显关联 PR